

AMAKOTE
FULFILLS THAT NEED
IN A
HOT SURFACE
ENAMEL

ALLAN GOODLOE & CO.
Merchants Exchange Bldg.
ST. LOUIS 2, MO.
MAIN 5227



Manufactured by
**THE AMERICAN ASBESTOS PRODUCTS
COMPANY**
CLEVELAND, OHIO



AMAKOTE
HOT SURFACE
ENAMEL
for

TANKS
BOILER FRONTS
HOT PIPES ETC.

THE AMERICAN ASBESTOS PRODUCTS CO.
CLEVELAND, OHIO

AMAKOTE

AMAKOTE—The rich jet black enamel manufactured for hot surfaces in the plant and factory.

DOUBLE DUTY

No longer do you have to use a rough finish stack paint for interior hot metal. "Make-shifts" are out—for AMAKOTE is a special formula that combines all the beauty of a machinery enamel with the rugged toughness of our regular Stack & Boiler Paint.

CHEMICALLY TREATED

Preheated—and chemically treated, AMAKOTE is well able to withstand temperatures as high as 800 degrees Fahrenheit. We suggest that it be specified for vats, tanks, steam pipe lines, and all equipment that is continuously exposed to unusual heat which dries out and cracks regular line industrial paints.

ACID-FUME PROOF

As many hot surfaces in the plant are subjected to an attack from relentless acids and alkalis, AMAKOTE has been manufactured with this in mind. Its heat-resisting liquid is rich in anti-corrosive qualities, and as it dries, it fuses a flint-hard coating into the metal. This is moisture proof and resists all but the strongest concentrated acids and chemical fumes.

Furnished in Black only. AMAKOTE dries overnight. Its finish is an attractive high gloss. Covers 175 square feet in two coats on new work. 250 square feet, one coat, on a surface already painted.

INDUSTRIAL (Continued)

ALL-PURPOSE CLEANER—Amakleen, a "quick action" powder that's strong yet gentle for fine work or rough jobs. Economical.

FOR INSULATION—Amavar Varnish, transparent bakelite coating for dynamos, coils, transformers, etc.

FOR HOT EQUIPMENT—Amakote, rich, jet black enamel for hot surfaces up to 800 degrees.

FOR ENAMELING—Amavar Enamel, a high-gloss, one-coater for walls and ceilings. Resists live steam and moisture.

LOW COST ENAMELING—Industrial Enamel, an inexpensive gloss finish for interior or exterior industrial use.

EXTERIORS

HOUSE PAINTING—Amaspro Quality House Paint, a pure linseed oil white lead formula of exceptional merit.

BRICK AND CONCRETE—Amaspro Cement and Concrete Paint, a special product to beautify and waterproof masonry.

STAINING—Amaspro Shingle Stain preserves wood and prevents fungus. Creosote base in range of colors.

LOW COST HOUSE PAINTING—Utility Paint, a serviceable All-Purpose paint for wood in lasting colors.

STREET MARKING—Amaspro Traffic Paint—highly visible, 15-minute drying time with tested durability.

BARNS, SILOS, PADDOCKS, PLANTATION PAINTS—Special Paint Formulas for each of these uses.

VARNISHING

A complete Varnish Line, including special formulas for floors, woodwork, church and school seats, gymnasium floors, linoleum and outside surfaces.

WATERPROOFING

BASEMENTS—Concrete Wall Waterproofer, an outside asphalt coating to stop seepage. **TO SEAL AND TO GLOSS**—Dampseal, a waterproofing varnish that stops seepage, beautifies brick, stucco, and concrete.

TO PRESERVE NATURAL FINISH—Wall-seal, a colorless waterproofing that penetrates deep to seal brick, stone, and concrete.

PREPARE THE SURFACE

When you select the **RIGHT** paint, you have made a good start in solving your requirements, but don't stop there. Successful paint jobs depend on properly preparing the surface, so be sure your men are carefully instructed before they proceed with the work.

Amaspro Quality Products will insure you the service you have every right to expect; provided a few simple rules are kept in mind.

Be sure the surface is clean! Dirt, wax and grease will prevent a new paint from adhering to the surface.

Paint over a dry surface and give the product time to thoroughly dry before putting the surface back into use.

Remove all peeling, blistering and flaking old paint before a fresh application is made. Give special treatment to new concrete and metal surfaces as prescribed by your maintenance expert before any paint products are used.

Wire-brush all rusty surfaces to remove scales before painting.

These Maintenance Products
created by

THE AMERICAN ASBESTOS PRODUCTS CO.
Cleveland, Ohio

WHAT TO USE?

Men in charge of properties know that there are thousands of things constantly arising in the maintenance field—new products, new methods and new problems.

It is our policy to meet each of your surfacing needs with products formulated to fit the condition. The Amaspro "answer man" wants to help you. He'll put dollars in your pocket because nothing pays for itself quicker than an efficient maintenance product.

ROOFS

TEN YEAR WATERPROOFING—TENKOTE applies like a paint—gives new roof protection at 1/3 the cost.

PAINTING—Elastic Carbon Paint seals laps and seams, covers small holes—stops rust.

PATCHING—Plastic Cement, a heavy semi-paste for sealing holes; reinforcing firewalls and flashings.

EAVES AND TROUGHS—Tinner's Red is inexpensive, a sure rust preventative.

PRIMING—Amaspro Roof Primer restores oils and life to old roofs.

FLOORS

FOR ALL DUTY PAINTING—Amaspro Floor Enamel, a penetrating, durable finish that's alkali and damp-proof.

FOR EXTRA-HEAVY WEAR—Amalite Enamel, made with crepe rubber and 90% as hard as plate glass.

FOR RESURFACING—Amaspro Floor Patch levels ruts, holes and cracks, and dries overnight.

FOR RESURFACING WOOD—Amaspro Wood Filler, efficient and inexpensive—sold by pound or gallon.

FINISHING—Amavar Varnish with 100% bakelite base, saves paint with durable, non-skid "top-coat."

HARDENING—Amaspro Floor Hardener stops dusting and powdering by toughening "top surface" of concrete.

INTERIORS

FOR HEAT AND FUMES—Fume-Proof White, made with Damar Gums never yellows or darkens.

GLOSS FOR DECORATION—Amasprolite Enamel in 18 beautiful shades provides a tile-like finish.

FLAT PRIMER OR FINISH—Amaspro Flat is good hiding, covers well, flows evenly without brush marks.

COLORS THAT WASH—Amaspro Semi-Gloss is midtone between Flat and Gloss, washes like glass.

QUICK, LOW-COST WORK—Cold Water Paint costs only 50c a gallon, comes with free sprayer—a powder paint, that can't rub off, peel or flake.

ALUMINUMS

HOT SURFACES—Amaspro Heat Resisting Aluminum stands up to 675 degrees Fahrenheit on stacks, pipes, etc.

OUTSIDE USE—Exterior Aluminum stays bright in all climates regardless of weather changes.

FUMES AND ACIDS—Extra Bright Aluminum containing bakelite, resists destructive agencies.

ALL DUTY—Lumbrite, a bright, lustrous aluminum, equally good inside or out for any surface.

LOW COST PROTECTION—All-Purpose Aluminum, an inexpensive metallic coating for inside or outside use.

ODORLESS AND TASTELESS—DeLuxe Aluminum, super-bright, for food plants and widely used on tanks, equipment, etc.

INDUSTRIAL

BOILERS—Amaspro Boiler Seal, a plastic coating that hermetically blankets boiler settings.

GLAZING—Amaspro Caulk and Glazing Compounds—pliable, sealing paste for air-tighting space between door frames, windows and brick, and glazing lights.

RUSTPROOFING METAL—Rustproof Red is the required primer or finish coat for exposed metal surfaces.

WHITE FOR REFLECTION—Mill-White, an inexpensive interior paint in gloss or flat for offices, factories, etc.

HERE'S THE ANSWER!

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

NATIONAL
BUILDING
ARTS
CENTER

<http://web.nationalbuildingarts.org>